

Dart Hawkesbury 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada Tel (613) 632-5200

## **Purchasing Receipts**

0038685 ACI001-VC	1	1 1	Net 30	M304TR0.500W.035	304 Round Tube .500 X	100		60	40/04/0047	00	.6039	200000	Charl				_
					JOS5W: MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft			00	12/21/2017			S026902	Stock	12/23/2017	\$ 2.95 / ft	0	

Plex 12/23/2017 8:57 AM Dart. Dubois. Pascal

# **DELIVERY - CLIENT**

## ACIER OUELLETTE INC.

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) J6S 5L1

Shipped to

Ontario,

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

DART AEROSPACE LTD

Billed to

CLI0001056 Customer N°

2017/12/19

2017/12/21

038685

Your order N°

Delivery date

Date

Josianne Bourdon

Processed by

**OUELLETTE VALLEYFIELD** Net 30 Days

Salesman

Carrier

**Credit Terme** 

Delivery Route 5	Instruction F-M
Att : CHANTAL LAVOIE Tél.: 613-632-5200	

2	
very Route	
Deli	
Σ	
ion F-	
ructi	

	OIA OOG
Page	

OUT

roduct Description	Weight	è	II/M		PCS NB	B		Internal	nal I	Jse C	Only
Cauch Description	weight	413	E /o	CMD	EXP	B/0	NI	ı	s	U	

Product Description	Weight
TUBE ROUND SS .500 OD X .035 SS304 MF RANDOM	10.44
TRSS-0500035-V <b>7068</b>	

-	
	PI_\$CPI
	60.00
	10.44

AC12380-MM-20/12

3 X 20' R/L

NIR: R-109516-6

All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days, from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due annum on an our annum of an annum of an acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods soid. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Total Weight (Lbs):

Conditions:

Verified By:

Prepared By

	Time
<	By By
	Delivered

Time	
elivered By	

	1
	٦
	4
_	

Customer's Signature

Date

Total (\$CAD)

11-11-11	ACTEN UNELLE I IE ANC.
	935, Boul. du Hâvre
	Salaberry de Valleyfield (Québec) 165 5L1
- W.C.	Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 80
	Fax: 450-377-5696 Mtl: 514-336-4246 Fxt · 86

כומכו - מסוכה

00-667-4248 866-456-4242

CL10001056 Delivery date Customer N° Date

ていいいい ノンシ

べつつり

2017/12/19

2017/12/21

038685

Your order N° Processed by

Shipped to

, Ontario,

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

-

DART AEROSPACE LTD

Billed to

Josianne Bourdon

Salesman Carrier

**OUELLETTE VALLEYFIELD** 

Net 30 Days

**Credit Terme** 

-	
Page	212 000
2	
Delivery Route	

				, n			•	
Description	Woinht	ç	77/11		PCS NB	8		Inte
		2	E	CMD	FXD	D/8	TN	Ŀ

Att : CHANTAL LAVOIE Tél.: 613-632-5200

ō	L	ļ
Use	U	
rnal	S	L
Internal L	-	L
	NI	
NB	B/0	
PCS NB	EXP	
	CMD	
M/II	2/12	
ç	443	
Weight	and in	

Internal Use Only	N I S C OUT								
	NI	60						- 1.1	 _
NB	B/0								
PCS NB	EXP								
×	CMD	3.00		0.00					
M/II	E /o	PI_\$CPI		•					
Š	444	00.09							
Weight	and land	10.44							
Product Description		TUBE ROUND SS .500 OD X .035 SS304 MF RANDOM TRSS-0500035-V 7068	3 X 20' R/L AC12380-MM-20/12	SURCHARGE ENERGETIQUE FRAIS ENERGETIONE					

## Total Weight (LBS): 1 10.44

NIR: R-109516-6

Conditions:

All sold and delivered materials remain the property of "Acier Oueliette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by Acier Oueliette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Oueliette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Oueliette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Oueliette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Oueliette Inc." is the same and the same as a same as a same as a same and the same same and the sam

Time Delivered By: Verified By: Prepared By:

Customer's Signature

Deposit Balance Total (\$CAD)

۵

Σ

204.47 0.00

204.47





# SHANGHAI CRYSTAL PALACE PIPE CO.,LTD

LAO GANG, PUDONG NEW AREA DISTRICT, SHANGHAI, CHINA

MILL TEST CERTIFICATE

ISO9001:2008;PED Material CERTIFICATE (No.:QAC0021058/A) DATE OF ISSUE: 2013/11/3

VEI-GUO	MANAGER OF QUALITY (ASSURANCE DEPARTMENT / DING WEI-GUO	CE DEPARTI	ASSURÁN	LITY (	OF QUA	NAGER	MA				INVOICE NO: YK-13-11-13	CE NO: YI	NVOI
DEC 1 & 2013	DEC	ì		C. M					- X	FREE FROM MERCURY CONTAMINATION COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO EN 10204/3.1	FREE FROM MERCURY CONT COUNTRY OF ORIGIN: CHINA MILL TEST CERTIFICATE TO E	ROM ME	COUN'
QC REVIEWED	CC R	Ö	SHANGHAI CRYSTAL PALACE PIPE CO.,LTD	LACE PI	STAL PA	IAI CRYS	SHANGH	Ħ	( 1.5m/mi	NO WELD REPAIR WAS PERFORMED	NO WELD REPAIR WAS PERFORMED	LD REPA	NO WE
o, excert in roll, without	EVERT IN LE	OCE	THE WRITTEN APPROVAL OF THE COMPANY.	TOL LH	PPROVA	TTEN AI	THE WRI			ACTICE E	IC TEST TO ASTM A262 PRACTICE E	TTOAST	IC TES
THE WITHOUT THE	EVCEDT IN EI	RODICED	PORCHASE ORDER OR CONTRACT  2.THE CERTIFICATE SHALL NOT BE REPRODUCED	ONLIKA	ATE SHA	FRTIFIC A	2.THE CERTIFICATE SHALL NOT B	203-10	3	IN COMPLIANCE TO NACE MR0175-2003	E TO NACE	MPLIANC	IN CO
1.WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE	CRIBED HERE CE WITH THE T	ERIAL DESC	THE MAT	RESULTS	ETEST	REBY C	TESTED.	260 10	A CTM A	AS PERASTM A213-Ha/ASME SA213-10 WALL THICKNESS TOLER ANCE AS DED ASTM A260 10	213 Havas	RASTM A	AS PERAS
OK ORILLED HOLE	70	OK		OK	65.5	655	265	797	500	P13-10-88	20	0.035	0.500
OK (DRILLED HOLE)	74	OK		OK.	61.5	640	320	1457	1250	G13-9-166	) 20	0.035	0.375
CURRENT TEST TO E426 (100%)	HRB ≤80	TEST		TEST	(%) ≥35	(Mpa) ≥515	(Mpa) ≥205	(kg)	Pieces	Bundle No.	Length (feet)	W.T (ineh)	O.D (inch)
EDDY	HARDNESS	THE WAY	$\neg$	EI ABD	EL	TS	0.2%YS	Weight			ons	Dimensions	
				S	PERTIE	AL PRO	PHYSICAL PROPERTIES						
		18.36	8.07	0.40	0	0.001	0.028		0.67	0.019	LE)	RESULTS (LADLE)	RESU
	0	18.0~20.0	8.0~11.0	< 0.75	-	< 0.030	< 0.040		<2.00	< 0.035	_	SPECIFICATION	SPECI
		2	Z.	Si	-	S	P	$\exists$	Mn	С		ENTS	ELEMENTS
	4									T%)	CHEMICAL CONTENTS (WT%)	ICAL CO	CHEM
		HEAT NO: YX1305-692	XY: ON I	HEA.		NEND	ED / PLAT	D / PICKL	TREATE	CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END	OLD FINISH	ITION: CO	COND
170td1/70td1	GRADE: ASTM A213-144/ASME SA213-10 (P304/TP304)	M A213-14a/A	DE : ASTN	GRA			G.	TUBING	SEAMLESS	STEEL	COMMODITY: STAINLESS	AODITY: S	COMN
	E	ORDER NO.:2013-07-017-E	ER NO.	ORD							9	P.O.NO.: BN3759	P.O.NC
	17-E-1	CERTIFICATE NO -2013-7-17-E-1	TIFICATE	CER.									
													Total Control of the last of t

08821'08

TUVI

POFFO, US

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: DATE:	M304+RO.500 W.035 DEC 23 2017	PO / BATCH NO.: <u>03 8685 / So 269</u> 0 2
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	60'	THICKNESS ORDERED: W.035  THICKNESS RECEIVED: W.035  SHEET SIZE ORDERED: W/A  SHEET SIZE RECEIVED: W/A

DESCRIPTION	(Ch	CR leck (N)	COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(1)	N	
CORRECT MATERIAL PER M-DRAWING	(4)	N	Aston A213
CORRECT THICKNESS	(A)	Ŋ	
PHOTO REQUIRED	Y	(1)	
CORRECT REF # TO LINK CERT	(1)	N	Hest # YX 1305-692
CORRECT MATERIAL IDENTFICATION	(4)	N	
CORRECT M# ON THE MATERIAL	M	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	9	
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	(N)	

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
F	RECORD RES	SULTS BELOV	V		
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)
INSPECTED BY:	nl	SIGNED OFF BY:
DATE:	DEC 23 2017	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

REV. B SCALE NTS SHEET 1 OF 1 01 06.08 08.10.20 DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA
DRAWING NO.
M304TR
SAMER COPYRIGHT © 2001 BY DART AEROSPACE LTD IS WILLIAM COMPONING HAND & CUTY SO DATA EXPRESS COMPA CP DS BY 304/316 ROUND TUBING B REFORMAT DWG, ADD SPECS (ZN D8-1), REF PAR 08-020A DESCRIPTION DATE 08.10.20 NEW ISSUE DRAWN CHECKED MFG. APPR. APPROVED DESIGN REV.

WALL THICKNESS TOLERANCE PER ASTM A269 AS FOLLOWS: PERMISSABLE WALL TOL. ±15% ±10% ±10% ±10% ±10% PURCHASE MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING ASHWAZT3 OR ASME SA213 OR ASTM A269 PERMISSABLE 0D TOL. (IN) +0.005 +0.005 1. +0.010 1. +0.015 1. +0.010 1. +0.015 1. +0.030 SPECIFICATION:

(e)

Ω

SPECIFICATION CONTROL DRAWING

OD (IN) UP TO 1/3, EXCL. 1/2 TO 3/4, EXCL. 3/2 TO 5/4, EXCL. 5/2 TO 8, EXCL.

M304TR D.DDD W.TTT OD WALL

PART NUMBER:

U

WHERE "D.DDD" = OUTSIDE DIAMETER IN INCHES AND ". TTT" = WALL THICKNESS IN INCHES

EG. 0.375" OD X 0.065" WALL TUBING = M304TR0.375W.065



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

## **PURCHASE ORDER** PO038685

ACI001-VC Supplier:

Ship To:

Acier Ouellette Inc. 935 Boul. Du Havre

Valleyfield QC

J6S 5L1 Canada Phone: 800 667 4248

Fax: 450 377 5696

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 PO No:

PO038685

PO Date:

12/19/17 12/21/17

**Due Date:** 

**Purchase Order** Revision:

**Revision Date: Ship-To Contact:** 

Lavoie, ChantalPhone:

clavoie@dartaero.com DEC 1 9 2017

Via:

Ground

**Pymt Terms:** 

Net 30

Freight Terms:

Special Comments: quote no sou0077865

## Items

1 M304TR0.500W.035 304 Round Tube .500 X .035W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 receive ft	Line Item		Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity		Unit Price (CAD)	Extended Price
	1	M304TR0.500W.035		.035W : MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269	Firmed	12/21/17		2 5255	60 ft	\$2.95/ft	\$177.00

## **Order Notes**

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/19/17 3:00 PM dart.lavoie.chantal